

**CITY OF MOORE
ORDINANCE NO. 1045.23**

AN ORDINANCE AMENDING PART 5, CHAPTER 9, SECTIONS 5-901 AND 5-902; ADOPTING THE 2018 INTERNATIONAL FUEL GAS CODE AS AMENDED AND MODIFIED BY THE OKLAHOMA UNIFORM BUILDING CODE COMMISSION AND ADOPTING LOCAL AMENDMENTS TO SAID CODE; ESTABLISHING MINIMUM REGULATIONS GOVERNING THE DESIGN, INSTALLATION AND CONSTRUCTION OF FUEL GAS SYSTEMS WITHIN MOORE, OKLAHOMA; PROVIDING FOR SEVERABILITY; PROVIDING FOR REPEALER.

BE IT ORDAINED BY THE CITY COUNCIL OF THE CITY OF MOORE, OKLAHOMA THAT PART 5, CHAPTER 9, SECTIONS 5-901 AND 5-902 ARE HEREBY AMENDED TO READ AS FOLLOWS:

Sec 5-901 International Fuel Gas Code 2015 Adopted

Pursuant to section 2-15 of the Charter, the council may by ordinance adopt, by reference, codes which shall be considered to have the same effect as if set out in full in the City Code. Pursuant to this authority, the council hereby ordains that a certain document, at least one copy of which is on file in the office of the city clerk, being marked and designated as the "~~2015-2018~~ International Fuel Gas Code," as adopted by the state Oklahoma uniform building code commission pursuant to 59 O.S. § 1000.23, is hereby adopted as the fuel gas code of the city, known as the "fuel gas code" or "IFGC"; for addressing the design and installation of fuel gas systems and gas-fired appliances as herein provided. Each and all of the regulations, provisions, penalties, conditions and terms of the International Fuel Gas Code as hereby referred to, adopted and made a part hereof, as if fully set out in this Code, with the additions, insertions, and changes, if any, as prescribed and set out herein.

State Law reference— Adoption by reference, 11 O.S. § 14-107.

Sec 5-902 Additions, Insertions And Changes

- (a) The following sections of the "International Fuel Gas Code ~~2015-2018~~" are hereby revised, deleted, or amended as set out below. Items in [] are phrases that shall be deemed inserted into the appropriate section of the International Code:

~~A. Section 108.4 Insert: [Violation] [200.00]. Delete: or by imprisonment not exceeding [number of days], or both such fine and imprisonment.~~

- (1) ~~B.~~ Section 101.1 Title: These regulations shall be known as the Fuel Gas Code of the [City of Moore, Oklahoma,] hereinafter referred to as "this code."

- (2) Section 101.3, delete and amend to read: [Section 101.3 Appendices. The provisions in appendices A, B, and C are hereby adopted and are considered a part of this Code. All other appendices are not adopted and shall not apply.]
- (3) Section 102.8, insert a sentence at the end to read: [Whenever amendments have been adopted to the referenced codes and standards, each reference to said code and standard shall be considered to reference the amendments as well. Any reference to NFPA 70 or the ICC *Electrical Code* shall mean the Electrical Code as adopted.]
- (4) Section 103.1, delete: “Department of Inspections” and replace it to read: [City of Moore’s Community Development Department].
- (5) Section 106.6.2, replace text to read: [As provided in the City’s adopted fee schedule.]
- (6) Section 106.6.3, delete section and amend to read: [The code official shall establish a policy for authorizing the refunding of fees.]
- (7) Section 108.4, delete: “of a {specify offense}, punishable by a fine of not more than {amount} dollars or by imprisonment not exceeding {number of days}, or both such fine and imprisonment.” and replace it with [as listed in the city municipal code section 1-108.]
- (8) Section 108.5, delete section and amend it to read: [108.5 Stop work orders. Upon notice from the Code Official that work on any fuel gas system regulated by this Code is being performed in a manner either contrary to the provisions of this Code or dangerous or unsafe, the Code Official is authorized to issue a stop work order. The stop work order shall be in writing and shall be given to the owner of the property involved, to the owner’s authorized agent or to the person performing the work. The stop work order shall state the reason for the order and the conditions under which the cited work will be permitted to resume. Any person who shall continue any work on the fuel gas system after having been served with a stop work order, except such work as that person is directed to perform to remove the violation or unsafe condition shall be subject to penalties as prescribed by law.]
- (9) Section 109, delete existing language and replace with the following: [Section 109 Board of Appeal. Please reference Article 5-1D of the City of Moore’s Municipal Code.]
- (10) Section 401.5, add a second paragraph to read: [Both ends of each section of medium pressure gas piping shall identify its operating gas pressure with an *approved* tag. The tags are to be composed of aluminum or stainless steel and the following wording shall be stamped into the tag:

"WARNING
[number] to [number] psi gas pressure

Do Not Remove"]

- (11) Section 401.7, amend to read: [401.7 Piping meter identification. Piping from multiple meter installations shall be marked with approved permanent identification with a contrasting background, durable material, engraved or pressed lettering with a minimum of 1/2 inch lettering height by the installer so that the piping system supplied by the meter is readily identifiable.]
- (12) Section 404.12, delete text: “12” and replace it with: [18]; and delete text: “except as provided in Section 404.12.1”.
- (13) Section 404.12.1, delete section.
- (14) Section 404.13, amend to read: [404.13 Trenches. The trench shall be graded so that the pipe has a firm, substantially continuous bearing on the bottom of the trench. Where over-excavated, the trench shall be backfilled to the proper grade with compacted in accordance with manufacturer’s instructions. Piping shall not be supported on rocks or blocks at any point. Rocky or unstable soil shall be over-excavated by two or more pipe diameters and brought to the proper grade with suitable compacted material.]
- (15) Section 404.13.1, amend to read: [404.13.1 Fuel/Gas shared trench. Where a fuel/gas piping is installed in a trench, sharing of the trench with electrical service, electrical feeders, electrical conduit, electrical branch circuits, water and building sewers is prohibited. The fuel/gas piping must have an 18-inch separation.]
- (16) Section 404.13.2, amend to read: [404.13.2 Warning ribbon. Underground piping shall have their location identified by a warning ribbon that is a minimum of two-inch-wide yellow background color and black wording that reads, “Caution”, “Gas Line Below”, “Buried Gas Line” or other type of wording accepted by the building official. The warning ribbon shall be placed in the trench not less than 12 inches above the underground installation.]
- (17) Section 404.13.3, amend to read: [404.13.3 Protection of footing. Trenching installed parallel to footings and wall shall comply with Section 307.5 of the International Plumbing Code.]
- (18) Section 415.1, add at the end of the section to read: [and in a neat and orderly fashion.]

Severability. If any of the provisions of this ordinance are determined to be unconstitutional or unlawful by any court of competent jurisdiction, the remainder shall be severable and unaffected.


Repealer. Any ordinance or parts thereof in conflict with this section are hereby repealed.

PASSED AND APPROVED THIS 18TH DAY OF DECEMBER, 2023.



MELISSA HUNT, Vice-Mayor

ATTEST: *(Seal)*



VANESSA KEMP, City Clerk



APPROVED AS TO FORM AND LEGALITY:



Brian K. Miller, City Attorney